AF IPW

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Winga HO

Attorney Docket No.: MITEP010/P1101US0

Application No.: 09/587,721

Examiner: Boutah, Alina

Confirmation No.: 7907

Filed: June 5, 2000

Group: 2143

Title: SYNCHRONIZATION METHOD AND

SYSTEM FOR KEEPING TRACK OF

ENCODING HISTORY TO MAINTAIN DIGITAL

SYSTEM SYNCHRONIZATION DURING

COMMUNICATION OVER LOSSY

TRANSMISSION MEDIA

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as first-class mail on July 10, 2006 in an envelope addressed to the Commissioner for Patents, Mail Stop Appeal Brief-Patent, P.O. Box 1450 Alexandria, VA 22313-1450.

Signed:

TRANSMITTAL OF REPLY BRIEF IN RESPONSE TO EXAMINER'S ANSWER

Mail Stop Appeal Brief-Patents Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith is the Reply Brief In Response To Examiner's Answer mailed May 8, 2006. This reply brief is being filed within two (2) months of the mailing date of the Examiner's Answer.

Charge any additional fees or credit any overpayment to Deposit Account No. 500388, (Order No. MITEP010).

Respectfully submitted,

BEYER WEAVER & THOMAS, LLP

C. Douglass Thomas Registration No. 32,947

P.O. Box 70250 Oakland, CA 94612-0250 (650) 961-8300



# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Ex Parte Winga Ho
Application for Patent
<b>Filed</b> June 5, 2000
Serial No. 09/587,721
Group Art Unit 2143
Examiner Boutah, A.
FOR:
SYNCHRONIZATION METHOD AND SYSTEM FOR KEEPING TRACK OF ENCODING HISTORY TO MAINTAIN DIGITAL SYSTEM SYNCHRONIZATION DURING COMMUNICATION OVER LOSSY TRANSMISSION MEDIA
REPLY BRIEF

### CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as first-class mail on July 10, 2006 in an envelope addressed to the Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450. Signed:

The following supplemental arguments serve to supplement the Appeal Brief entered April 4, 2006.

### ARGUMENT [Supplemented]

In rejecting the claims, the Examiner admits that Desnoyers fails to explicitly teach "said encoder information record being previously acknowledged by said receiving digital systems; building a new encoder information record including the encoding information used to encode said packet data as well as the packet data; updating that the decoder information in said decoder information record with said packet data; acknowledging processing of the packet to said sending digital system to enable said sending digital system to update said encoder information so that said new encoder information record is used to encode packet data; and when the packet is lost, at the sending digital system rebuilding the new encoder information record without the lost packet data." E.g., Examiner's Answer, page 5. The Examiner asserts, however, that Uota teaches each of the elements not taught by Desnoyers.

More particularly, the Examiner asserts that building a new information record including the information used to construct said packet data as well as the packet data is disclosed in the Uota reference in the abstract and at column 2, lines 52 to 54. The Examiner further asserts that the recitation "when the packet is lost, at the sending digital system rebuilding the new encoder information record without the lost packet data" is taught at column 3, lines 8 to 12, lines 29 to 40, and figures 3-5. E.g., Examiner's Answer, page 5.

Referring to the Uota reference, the only information record that is updated is a history of correctly received frame-numbers (wherein a single bit is set in a backward information field of a frame to be transmitted to a transmitting terminal). This is not equivalent to building or rebuilding a new encoder information record including the encoding information used to encode said packet data as well as the packet data.

The abstract of the Uota reference discloses that data is transmitted in frames each of which is constructed of a flag sequence field for delimiting a frame, a forward information field including a number for identifying a frame, a backward information

Reply Brief 1 US 09/587.721

field containing a history of frame-numbers of correctly received frames, an information field including user data of a fixed length and a code for error-detection field for detecting an error of the received frame. The abstract further teaches that when a frame is correctly received, a receiving terminal updates a history of correctly received frame-numbers and sets it in a backward information field of a frame to be transmitted to a transmitting terminal. When a frame is incorrectly received, history information for a precedent correct frame is set in the backward information field of the frame.

Likewise, column 2 lines 52 to 54 of Uota teach that data is transmitted in frames constructed of a flag sequence field for delimiting a frame, a forward information field containing a frame-number for identifying a frame, a backward information field including a history of frame numbers of acknowledged (i.e., correctly received) frames, an information field including user data of a fixed length...etc. It is quite clear that the abstract and the indicated extracts of Uota cited by the Examiner fail to teach or suggest any building or rebuilding of a new encoder information record including the encoding information used to encode said packet data as well as the packet data.

Referring now to column 3, lines 8 to 12 and 29 to 40, Uota teaches "if an error is detected therein, the receiving terminal does not update the history of framenumbers and sets a precedent history information in the backward information field of the frame" and "the receiving terminal makes a check on a just arrived frame by code for error-detection contained therein, and, if no error is found in the frame, updates a history of frame-numbers by adding thereto the number of just checked frame and sets the thus updated history information in a backward information field of a frame or, if the frame is found to contain an error, does not add the frame-number to the history information and sets the precedent frame-number instead of the error frame in the background information field of the frame and sends the frame to the transmitting terminal".

Claim 1 of the present application specifically recites "building a new encoder information record including the encoding information used to encode said packet data as well as the packet data" and "when the packet is lost, at the sending digital system rebuilding the new encoder information record without the lost packet data". Thus, the new encoder information record that is rebuilt includes encoding information used to encode the packet data as well as the packet data. There is no

Reply Brief 2 US 09/587,721

teaching anywhere in the cited references of these elements as claimed in claim 1 under appeal. Uota simply updates a number of correctly received frames.

According to the present invention, when a packet is lost at the sending digital system the new encoder information record is rebuilt without the lost packet data. As recited in the claims, the new encoder information record includes encoding information used to encode a packet data. The portions of the prior art identified by the Examiner are clearly not equivalent to building the new encoder information record including encoding information that is used to encode the packet data, without the lost packet data.

In rejecting the claims presently on file, the Examiner has directed attention to portions of the cited reference that clearly do not teach the claimed elements and has maintained his rejection of the claims without explanation. The Examiner has therefore not set forth sufficient basis on which to maintain the rejection of the claims under 35 U.S.C. §103(a).

Since these elements are not taught in either of the cited references, it is believed that claim 1 fully distinguish this over the cited references. Claim 17 includes similar limitations that are also not found in either of the cited references and therefore this claim is also believed to fully distinguish over the cited references. Since the remainder of the claims include at least all of the limitations of one of the independent claims, these claims are also believed to be patentable.

In view of the above, Applicants respectfully submit that the present application is in order for allowance and respectfully request the Board of Appeals to direct the Examiner to withdraw the Final Official Action and issue a Notice of Allowance.

It is submitted that the rejection of claims 1-20 under 35 U.S.C. §103 is improper and should be withdrawn. Accordingly, it is respectfully requested that the Board reverse the Examiner's rejection and remand the application to the Examiner with directions to allow all claims.

Reply Brief 3 US 09/587,721

#### **CONCLUSION**

In view of the foregoing, it is respectfully submitted that the Examiner's rejection of claims 1-20 as being unpatentable over PCT Publication No. WO/14971 to Desnoyers et al. in view of European Patent No. 0851624 to Uota et al. is erroneous. Accordingly, the rejection of claims 1-20 under 35 U.S.C. §103 should be reversed. For the reasons set forth in this Appeal Brief and in this Reply Brief, the Board should reverse the final rejection and should order the Examiner to pass this application to allowance.

Respectfully Submitted,

C. Douglass Thomas

Reg. No. 32,947

BEYER WEAVER & THOMAS, LLP P.O. Box 70250 Oakland, CA 94612-0250 (650) 961-8300